## **Immunization Record**

Student Name:	Date of birth:	Gender:		
Telephone: Home	Mobile:			

Name of Vaccine	Dose 1 (MM/DD/YY)	Dose 2 (MM/DD/YY)	Dose 3 (MM/DD/YY)	Dose 4 (MM/DD/YY)	Dose 5 (MM/DD/YY)	
Required Vaccinations for School						
Diptheria/Tetanus/ and Pertussis (DTAP,DTP, DT) *Age 6 and under	1 1	1 1	1 1	1 1	1 1	
Tetanus and Diptheria (Td/DT) *for children age 7+ if not up to date with DTAP,DTP, DT	1 1	1 1	1 1			
Tetanus.Diptheria and Pertussis (Tdap) *for children aged 7+	1 1					
Polio (PV, OPV, IPV)  *4th dose not required if 3rd dose was given on or after age 4.	1 1	1 1	1 1	1 1		
Measles, Mumps and Rubella (MMR) *age 1+	1 1	1 1				
Hepatitis B (hep B)	1 1	1 1	1 1			
Varicella (chickenpox) *age 1+ or disease history required	1 1	1 1				
Meningococcal (MCV, MPSV)  *for children 7-12th grade  *booster given at 16 years	1 1	1 1				
Recommended for School						
Human Papillomavirus (HPV)	1 1	1 1	1 1			
Hepatitis A (hep A)	1 1	1 1				
Influenza (annually for 6 months and older)	1 1	1 1	1 1	1 1	1 1	

## **Exemptions to School Immunization Law**

- A. Medical Exemption: No student is required to receive an immunization if they have a medical contraindication, history of disease, or laboratory evidence of immunity. For a student to receive a medical exemption, a physician, nurse practitioner or physician assistant must send signed notification to the school. In the case of varicella, a parent's description and date will suffice.
- B. Conscientious Exemption: No student is required to have an immunization that is contrary to the conscientiously held beliefs of his/her parent or guardian. However, not following vaccine recommendations may endanger the health or life or other students. In a disease outbreak schools may exclude children who are not vaccinated in order to protect them and others. A *notarized* statement must be signed and dated by the parent or legal guardian requesting a conscientious exemption.
- C. If a student is in the process of receiving a series of immunizations, please provide the dates when remaining doses are to be administered.